ELSEVIER

Physica C 261 (1996) 323–325

PHYSICA C

Author Index to Volume 261

Adrian, H., see Hatterer, C.J., **261**, 153
Affronte, M., see Paracchini, C., **261**, 147
Akita, S., see Takeya, J., **261**, 21
Aligia, A.A., see Eroles, J., **261**, 237
Aoki, R., see Murakami, H., **261**, 302
Aristov, D.N., see Yashenkin, A.G., **261**, 137
Axnäs, J., see Holm, W., **261**, 117

Baldha, G.J., see Joshi, U.S., **261**, 90
Banerjee, A., see Pandey, D., **261**, 157
Baran, M. and I. Fita, High effect of pressure on the critical temperature in $GdBa_{1.5}Sr_{0.5}Cu_3O_x$, **261**, 125
Batista, C.D., see Eroles, J., **261**, 237
Bäuerle, D., see Hellebrand, B., **261**, 97
Benoit, W., see Berseth, V., **261**, 81
Berseth, V., A.I. Buzdin, M.V. Indenbom and W. Benoit, Peculiarities of field penetration in the presence of cross-flux interaction, **261**, 81
Beuran, F.C., see Hatterer, C.J., **261**, 153
Borri, C.A., see Paracchini, C., **261**, 147
Bugoslavsky, Yu., see Felner, I., **261**, 207
Burlet, P., see Yakhou, F., **261**, 315
Buzdin, A.I., see Berseth, V., **261**, 81

Calestani, G., F.C. Matacotta, A. Migliori, P. Nozar, L. Righi and K.A. Thomas, Synthesis, crystal growth and structural characterisation of barium–copper oxycarbonates $Ba_2M_xCu_{2-x-y}(CO_3)_yO_{2+\delta}$ (M = Cu, Cd, Ca; $0.05 < x < 0.25$), **261**, 38
Casañ-Pastor, N., see Palacín, M.R., **261**, 71
Chabaud, C., Y. Direktovitch, I. Gertner, G.M. Reisner, A. Knizhnik, D. Goldschmidt, Y. Eckstein and G. Koren, Characterization of tetragonal 1:2:3 $(Ca_xLa_{1-x})(Ba_{1.75-x}La_{0.25+x})Cu_3O_y$ thin films prepared by laser ablation deposition, **261**, 33
Chen, D.F., see Wu, X.S., **261**, 189
Chen, J.L., see Lee, W.D., **261**, 167
Cherpak, N.T., see Velichko, A.V., **261**, 220
Chiou, B.-S., see Lee, W.D., **261**, 167
Coussot, C., see Hatterer, C.J., **261**, 153

Dam, B., N.J. Koeman, J.H. Rector, B. Stäuble-Pümpin, U. Poppe and R. Griessen, Growth and etching phenomena observed by STM/AFM on pulsed-laser deposited $YBa_2Cu_3O_{7-\delta}$ films, **261**, 1
Deville Cavellin, C., see Hatterer, C.J., **261**, 153
Ding, S.Y., Y. Rui, H.M. Shao, J. Li, X.N. Xu, J.W. Lin, C. Ren, X.X. Yao, X.S. Rong, B. Ying and Z.X. Zhao, Flux-creep mechanism studied in extended windows for the $HgBa_2Ca_2Cu_3O_y$ superconductor, **261**, 213
Direktovitch, Y., see Chabaud, C., **261**, 33

Eckstein, Y., see Chabaud, C., **261**, 33
Elkaim, E., see Yakhou, F., **261**, 315
Eltsev, Yu., see Holm, W., **261**, 117
Eroles, J., C.D. Batista and A.A. Aligia, Numerical comparison of the band structure and magnetic fluctuations of three-band and generalized t–J models, **261**, 237
Eustache, B., see Hatterer, C.J., **261**, 153
Eversmann, K., see Murashov, V.A., **261**, 181
Evetts, J.E., see Yan, Y., **261**, 56

Felner, I., J. Gersten, A. Minakov, M. Merzlyakov and Yu. Bugoslavsky, Paramagnetic properties of the Sr overdoped $(La,Sr)_2CuO_4$ system, **261**, 207
Fischer, P., see Hellebrand, B., **261**, 97
Fita, I., see Baran, M., **261**, 125

Gandini, A., see Martini, L., **261**, 196
Gersten, J., see Felner, I., **261**, 207
Gertner, I., see Chabaud, C., **261**, 33
Gielisse, P.J., see Niculescu, H., **261**, 12
Goldschmidt, D., see Chabaud, C., **261**, 33
Gómez-Romero, P., see Palacín, M.R., **261**, 71
Gou, C., see Wu, X.S., **261**, 189
Greene, R.L., see Weaver, B.D., **261**, 229
Griessen, R., see Dam, B., **261**, 1
Guillaume, M., see Hellebrand, B., **261**, 97
Güttler, B., see Müller, J.-P., **261**, 269

Hao, J.-M., Y.-L. Wen, B.-C. Yang, X.-P. Wang and D.-Q. Shi, Estimation of oxygen content and observation of X-ray reflection anomalous broadening in epitaxial $YBa_2Cu_3O_{7-y}$ on $LaAlO_3$, **261**, 263
Hasegawa, M., see Tanaka, M., **261**, 309
Hatterer, C.J., V. Mairet, F.C. Beuran, X.M. Xie, X.Z. Xu, M. Laguës, C. Coussot, B. Eustache, H. Adrian, P. Wagner, C. Deville Cavellin, G. Indlekofer and A. Taleb, Fermi surface of $Bi_2Sr_2CaCu_2O_{8+\delta}$ thin film, **261**, 153
Hellebrand, B., X.Z. Wang, D. Bäuerle, M. Guillaume, P. Fischer, M. Vybornov and P. Rogl, Structural analysis of superconducting $NdBa_{1.5}Sr_{0.5}Cu_3O_{7-\delta}$, **261**, 97

Henry, J.Y., see Yakhou, F., **261**, 315
Hiramatsu, S.-i., see Murakami, H., **261**, 302
Holm, W., J. Axnäs, Yu. Eltsev and Ö. Rapp, Fluctuation magnetoconductivity in Fe doped $YBa_2Cu_3O_{7-\delta}$. Sign change for B and I parallel to the planes, **261**, 117
Huang, W.N., see Leu, Y.D., **261**, 284
Hušek, I., see Kováč, P., **261**, 131

Inbanathan, S.S.R., see Pandey, D., **261**, 157
Indenbom, M.V., see Berseth, V., **261**, 81
Indlekofer, G., see Hatterer, C.J., **261**, 153
Izhyk, E.V., see Velichko, A.V., **261**, 220

Jackson, E.M., see Weaver, B.D., **261**, 229
Jansen, M., see Palacín, M.R., **261**, 71
Jha, P.K. and S.P. Sanyal, A lattice dynamical study of the role of pressure on Raman modes in high-T_c $HgBa_2CuO_4$, **261**, 259
Jiang, S.S., see Wu, X.S., **261**, 189
Jiang, W., see Weaver, B.D., **261**, 229
Joshi, U.S., K.M. Pansuria, D.G. Kuberkar, G.J. Baldha and R.G. Kulkarni, Effect of Hf and Hf–Ca substitution on the superconductivity of $ErBa_2Cu_3O_{7-\delta}$, **261**, 90

Kao, H.-C.I., see Leu, Y.D., **261**, 284
Khankhasayev, M., see Niculescu, H., **261**, 12
Kirichenko, A.Ya., see Velichko, A.V., **261**, 220
Kishio, K., see Takeya, J., **261**, 21
Klosowski, J., see Murashov, V.A., **261**, 181
Knizhnik, A., see Chabaud, C., **261**, 33
Koeman, N.J., see Dam, B., **261**, 1
Kopylov, V.N., see Zuo, F., **261**, 289
Koren, G., see Chabaud, C., **261**, 33
Kováč, P., I. Hušek, W. Pachla, H. Marciniak and T. Melíšek, Improvement in core density of BSCCO/Ag tapes by cold isostatic pressing, **261**, 131
Krabbes, G., see Murashov, V.A., **261**, 181
Krämer, G., see Palacín, M.R., **261**, 71
Kuberkar, D.G., see Joshi, U.S., **261**, 90
Kulkarni, R.G., see Joshi, U.S., **261**, 90
Kuppusami, P., see Singh, A., **261**, 273
Kurokawa, Y., see Tagaya, K., **261**, 65

Laguës, M., see Hatterer, C.J., **261**, 153
Lauriat, J.P., see Yakhou, F., **261**, 315
Lee, W.D., J.L. Chen, T.J. Yang and B.-S. Chiou, Influence of an external electric field on high-T_c superconductivity, **261**, 167
Leu, Y.D., W.N. Huang, C.M. Wang and H.-C.I. Kao, Superconductivity and hole concentration of $La_{3-x}Ca_{2x}Ba_{3-x}Cu_6O_y$ compounds, **261**, 284
Li, J., see Ding, S.Y., **261**, 213
Lin, J.W., see Ding, S.Y., **261**, 213
Liu, X.M., see Yu, W.J., **261**, 27
López, J. and P. Muné, Anomalous inversion of voltage versus current curves in ZFC and FC conditions in BSCCO ceramic superconductors, **261**, 173

Mairet, V., see Hatterer, C.J., **261**, 153
Maleyev, S.V., see Yashenkin, A.G., **261**, 137
Mao, S.N., see Weaver, B.D., **261**, 229
Mao, Z.Q., see Yu, W.J., **261**, 27
Marciniak, H., see Kováč, P., **261**, 131
Martini, L., A. Gandini, L. Rossi, V. Ottoboni and S. Zannella, Anisotropy of Bi-2223/Ag tapes by electrical and magnetic characterizations, **261**, 196
Matacotta, F.C., see Calestani, G., **261**, 38
Melíšek, T., see Kováč, P., **261**, 131
Merzlyakov, M., see Felner, I., **261**, 207
Migliori, A., see Calestani, G., **261**, 38
Minakov, A., see Felner, I., **261**, 207
Mohandas, E., see Singh, A., **261**, 273
Moshkin, S., see Yakhou, F., **261**, 315
Müller, H.-U., see Müller, J.-P., **261**, 269
Müller, J.-P., A. Schmalstieg, B. Güttler, A. Schönhals, J. Schubert, W. Zander and H.-U. Müller, Evidence for the interaction between room-temperature annealing after quenching and persistent photoconductivity in oxygen-deficient $Y_1Ba_2Cu_3O_x$ thin films, **261**, 269
Muné, P., see López, J., **261**, 173
Murakami, H., S.-i. Hiramatsu and R. Aoki, Characteristics of planar tunneling junctions on BSCCO crystal. Oxygen ion beam irradiation effect, **261**, 302
Murashov, V.A., P. Schätzle, G. Krabbes, J. Klosowski, H. Wendrock, H.R. Vogel and K. Eversmann, Influence of the Y_2BaCuO_5 particle size distribution on the crack propagation and the trapped magnetic flux in melt textured YBCO, **261**, 181

Nakanishi, K., see Tsukamoto, A., **261**, 295
Niculescu, H., A. Saenz, M. Khankhasayev and P.J. Gielisse, Self-field measurements and current distribution in ceramic superconductors, **261**, 12
Nozar, P., see Calestani, G., **261**, 38

Ottoboni, V., see Martini, L., **261**, 196

Pachla, W., see Kováč, P., **261**, 131
Palacín, M.R., N. Casañ-Pastor, G. Krämer, M. Jansen and P. Gómez-Romero, Cationic substitutions and doping in the series of layered perovskites $Ln_2Ba_2Cu_2Ti_2O_{11}$ (Ln = La, Nd, Eu, Tb), **261**, 71
Pandey, D., S.S.R. Inbanathan, P.K. Srivastava, A. Banerjee and G. Singh, Towards the rapid synthesis of pure 2223 powders with $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_y$ compositions by semi-wet methods. III. Role of sintering temperature and duration, **261**, 157
Pansuria, K.M., see Joshi, U.S., **261**, 90
Paracchini, C., L. Romano, C.A. Borri and M. Affronte, Resistivity measurements in superconducting $Ba_{1-x}K_xBiO_3$, **261**, 147
Plakhty, V., see Yakhou, F., **261**, 315
Poppe, U., see Dam, B., **261**, 1

Raghunathan, V.S., see Singh, A., **261**, 273
Raju, S., see Singh, A., **261**, 273

Rapp, Ö., see Holm, W., **261**, 117
Rector, J.H., see Dam, B., **261**, 1
Reisner, G.M., see Chabaud, C., **261**, 33
Ren, C., see Ding, S.Y., **261**, 213
Righi, L., see Calestani, G., **261**, 38
Rogl, P., see Hellebrand, B., **261**, 97
Romano, L., see Paracchini, C., **261**, 147
Rong, X.S., see Ding, S.Y., **261**, 213
Rossi, L., see Martini, L., **261**, 196
Rui, Y., see Ding, S.Y., **261**, 213

Saenz, A., see Niculescu, H., **261**, 12
Sanyal, S.P., see Jha, P.K., **261**, 259
Sasakura, H., see Tagaya, K., **261**, 65
Schätzle, P., see Murashov, V.A., **261**, 181
Schmalstieg, A., see Müller, J.-P., **261**, 269
Schönhals, A., see Müller, J.-P., **261**, 269
Schubert, J., see Müller, J.-P., **261**, 269
Shao, H.M., see Ding, S.Y., **261**, 213
Shao, H.M., see Wu, X.S., **261**, 189
Shi, D.-Q., see Hao, J.-M., **261**, 263
Shi, J.B., H.J. Tsao and M.F. Tai, Superconductivity and magnetism of the $(Hg_{0.7}Bi_{0.3})Sr_2(Ca_{1-x}Pr_x)Cu_2O_{6+\delta}$ system, **261**, 201
Shimoyama, J., see Takeya, J., **261**, 21
Singh, A., P. Kuppusami, E. Mohandas, S. Raju and V.S. Raghunathan, Low angle and special boundaries in sintered $YBa_2Cu_3O_{7-\delta}$, **261**, 273
Singh, G., see Pandey, D., **261**, 157
Skakle, J.M.S. and A.R. West, The superconducting solid solutions $Nd_{1.5-x}Ba_{1.5+x-y}M_yCu_3O_z$ (M = Ca,Sr), **261**, 105
Soylu, B., see Yan, Y., **261**, 56
Srivastava, P.K., see Pandey, D., **261**, 157
Stäuble-Pümpin, B., see Dam, B., **261**, 1
Stobbs, W.M., see Yan, Y., **261**, 56
Stratilatov, A., see Yakhou, F., **261**, 315
Summers, G.P., see Weaver, B.D., **261**, 229
Sumption, M.D., A model for bridging and coupling in superconductors, **261**, 245

Tagaya, K., Y. Kurokawa and H. Sasakura, Microwave magnetoabsorptions of $Bi_2(Ca,Gd,Bi)_3Cu_2O_z$ superconductor, **261**, 65
Tai, M.F., see Shi, J.B., **261**, 201
Takei, H., see Tanaka, M., **261**, 309
Takeya, J., S. Akita, J. Shimoyama and K. Kishio, Interlayer resistive saturation of $Bi_2Sr_2CaCu_2O_{8+\delta}$ at low temperatures, **261**, 21
Taleb, A., see Hatterer, C.J., **261**, 153
Tanabe, K., see Tsukamoto, A., **261**, 295
Tanaka, M., M. Hasegawa and H. Takei, Growth and anisotropic physical properties of $SrCuO_2$ single crystals, **261**, 309
Thomas, K.A., see Calestani, G., **261**, 38
Tian, M.L., see Yu, W.J., **261**, 27
Tsao, H.J., see Shi, J.B., **261**, 201
Tsukamoto, A., K. Nakanishi, H. Yamauchi and K. Tanabe, Nd doped $Ba_3Cu_3O_y$ thin films, **261**, 295

Velichko, A.V., N.T. Cherpak, E.V. Izhyk, A.Ya. Kirichenko and V.T. Zagoskin, Microwave and radiowave surface resistance of high-quality YBaCuO ceramic. Nonlinear aspects, **261**, 220
Vlasov, M., see Yakhou, F., **261**, 315
Vogel, H.R., see Murashov, V.A., **261**, 181
Vybornov, M., see Hellebrand, B., **261**, 97

Wagner, P., see Hatterer, C.J., **261**, 153
Wang, C.M., see Leu, Y.D., **261**, 284
Wang, D.W., see Wu, X.S., **261**, 189
Wang, X.-P., see Hao, J.-M., **261**, 263
Wang, X.Z., see Hellebrand, B., **261**, 97
Weaver, B.D., G.P. Summers, R.L. Greene, E.M. Jackson, S.N. Mao and W. Jiang, Radiation damage effects in $Nd_{2-x}Ce_xCuO_{4-y}$ thin films, **261**, 229
Wen, Y.-L., see Hao, J.-M., **261**, 263
Wendrock, H., see Murashov, V.A., **261**, 181
West, A.R., see Skakle, J.M.S., **261**, 105
Wu, X.S., H.M. Shao, S.S. Jiang, C. Gou, D.F. Chen, D.W. Wang and Z.H. Wu, Syntheses and neutron powder diffraction studies of the superconductor $HgBa_2Ca_2Cu_3O_{8+\delta}$ by Pb substitution, **261**, 189
Wu, Z.H., see Wu, X.S., **261**, 189

Xie, X.M., see Hatterer, C.J., **261**, 153
Xu, X.N., see Ding, S.Y., **261**, 213
Xu, X.Z., see Hatterer, C.J., **261**, 153

Yakhou, F., V. Plakhty, A. Stratilatov, P. Burlet, J.P. Lauriat, E. Elkaim, J.Y. Henry, M. Vlasov and S. Moshkin, The $2\sqrt{2}\,a_0 \times \sqrt{2}\,b_0 \times c_0$ herringbone phase of $YBa_2Cu_3O_{6+x}$. No oxygen ordering but an alien oxide, $BaCu_3O_4$, **261**, 315
Yamauchi, H., see Tsukamoto, A., **261**, 295
Yan, Y., J.E. Evetts, B. Soylu and W.M. Stobbs, The origins of high values of the critical current density in the $Bi_2Sr_2Ca_{n-1}Cu_nO_x$ system: high-T_c superconducting pathways at low angle tilt boundaries, **261**, 56
Yang, B.-C., see Hao, J.-M., **261**, 263
Yang, T.J., see Lee, W.D., **261**, 167
Yao, X.X., see Ding, S.Y., **261**, 213
Yashenkin, A.G., D.N. Aristov and S.V. Maleyev, Phonon anomalies in layered superconductors with unconventional pairing, **261**, 137
Ying, B., see Ding, S.Y., **261**, 213
Yu, W.J., Z.Q. Mao, X.M. Liu, M.L. Tian, G.E. Zhou and Y.H. Zhang, Electronic structure of the Ba-doped (Pb,Cd)-1212 cuprates, **261**, 27

Zagoskin, V.T., see Velichko, A.V., **261**, 220
Zander, W., see Müller, J.-P., **261**, 269
Zannella, S., see Martini, L., **261**, 196
Zhang, Y.H., see Yu, W.J., **261**, 27
Zhao, Z.X., see Ding, S.Y., **261**, 213
Zhou, G.E., see Yu, W.J., **261**, 27
Zuo, F. and V.N. Kopylov, Influence of overdoping on fishtail magnetization in single-crystal $Tl_2Ba_2CuO_{6+\delta}$, **261**, 289

ELSEVIER

Physica C 261 (1996) 326–327

PHYSICA C

Analytic Subject Index to Volume 261

A-15 compounds 245
AFM
–of $YBa_2Cu_3O_{7-\delta}$ 1
Angle-resolved photoemission
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ thin film 153
Anisotropy 245
–of Bi-2223/Ag tapes 196
–of $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ 117
Annealing effects
–in YBaCuO thin films 269
Antiferromagnetic order
–in $Bi_2(Ca,Gd,Bi)_3Cu_2O_z$ 65

Band structure 153

Combined flux lattice 81
Crack propagation 181
Critical current density 12
–in BSCCO/Ag tapes 131
–in BSCCO 173
–in $Bi_2Sr_2Ca_{n-1}Cu_nO_x$ 56
–of $(Ca_xLa_{1-x})(Ba_{1.75-x}La_{0.25+x})Cu_3O_y$ films 33
–of Bi-2223/Ag tapes 196
–of $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_y$ 157
–of $Nd_{2-x}Ce_xCuO4-y$ thin films 229
–of $YBa_2Cu_{3O}7-\delta$ 220
Critical state model 81

D-wave superconductor 137
Diamagnetic susceptibility
–of $Bi_2(Ca,Gd,Bi)_3Cu_2O_z$ 65
Dimensional crossover
–in $Tl_2Ba_2CuO_{6+\delta}$ single crystals 289
Dissipation
–of $Ba_{1-x}K_xBiO_3$ 147

ESR
–of $La_{2-x}Sr_xCuO_4$ 207
Electrical resistivity
–in $Ba_{1-x}K_xBiO_3$ 147
–of $(Ca_xLa_{1-x})(Ba_{1.75-x}La_{0.25+x})Cu_3O_y$ films 33
–of $(Pb_{0.5}Cd_{0.5})(Sr_{2-x}Ba_x)(Ca_{0.5}Y_{0.5})Cu_2O_7$ 27
–of $SrCuO_2$ single crystals 309
Electron–phonon coupling 137
Electronic structure
–of $(Pb_{0.5}Cd_{0.5})(Sr_{2-x}Ba_x)(Ca_{0.5}Y_{0.5})Cu_2O_7$ 27

Fermi surface
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ thin film 153
Fishtail effect
–in $Tl_2Ba_2CuO_{6+\delta}$ single crystals 289
Fluctuation effects 117
Flux creep
–in $HgBa_2Ca_2Cu_3O_y$ 213
Flux pinning
–in $HgBa_2Ca_2Cu_3O_y$ 213
–in $Tl_2Ba_2CuO_{6+\delta}$ single crystals 289

Grain alignment (texturing)
–in BSCCO/Ag tapes 131
Grain boundaries
–in $YBa_2Cu_3O_{7-\delta}$ 273
Grain boundary structure
–in $Bi_2Sr_2Ca_{n-1}Cu_nO_x$ 56

HREM
–of $Ba_2M_xCu_{2-x-y}(CO_3)_yO_{2+\delta}$ 38
–of $YBa_2Cu_3O_{7-\delta}$ 273
Herringbone phase
–of $YBa_2Cu_3O_{6+x}$ 315
Hole concentration
–of $La_{3-x}Ca_{2x}Ba_{3-x}Cu_6O_y$ 284
Hubbard model 237

I-V characteristics
–of BSCCO 173
–of $Bi_2Sr_2CaCu_2O_{8-\delta}$ 21
Interface reaction 302
Interlayer resistivity
–of $Bi_2Sr_2CaCu_2O_{8-\delta}$ 21
Ion-beam irradiation
–of $Bi_2Sr_2CaCu_2O_{8+x}$ crystal surface 302
Irradiation effect
–on $Nd_{2-x}Ce_xCuO4-y$ thin films 229
Irreversibility field
–of Bi-2223/Ag tapes 196

6-J model 237

Kohn anomaly
–of $La_{2-x}Sr_xCuO4$ 137

Local field distribution 12
Lower critical field
–of $Bi_2(Ca,Gd,Bi)_3Cu_2O_z$ 65

Mössbauer spectroscopy
–of $La_{2-x}Sr_xCuO_4$ 207
Magnetic order
–in $La_{2-x}Sr_xCuO_4$ 207
Magnetic susceptibility
–of $(Hg_{0.7}Bi_{0.3})Sr_2(Ca_{1-x}Pr_x)Cu_2O_{6+\delta}$ 201
–of $GdBa_{1.5}Sr_{0.5}Cu_3O_x$ 125
–of $SrCuO_2$ single crystals 309
Magnetization 245
–of $(Hg_{0.7}Bi_{0.3})Sr_2(Ca_{1-x}Pr_x)Cu_2O_{6+\delta}$ 201
–of $HgBa_2Ca_2Cu_3O_y$ 213
Magnetoresistance
–of $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ 117
Melt texturing
–of YBCO 181
Microwave irradiation
–of $YBa_2Cu_{3O}7-\delta$ 220
Microwave magnetoabsorption
–of $Bi_2(Ca,Gd,Bi)_3Cu_2O_z$ 65
Microwave surface resistance
–of $YBa_2Cu_{3O}7-\delta$ 220

Neutron powder diffraction
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ 189
Nucleation field H_{c3} 167

Oxygen ordering
–in $YBa_2Cu_3O_{6+x}$ 315
Oxygen stoichiometry
–in $La_{3-x}Ca_{2x}Ba_{3-x}Cu_6O_y$ 284
–in $YBa_2Cu_3O_{7-y}$ films 263
–of $Ln_2Ba_2Cu_2Ti_2O_{11}$ 71
–of $Nd_{1.5-x}Ba_{1.5+x-y}M_yCu_3O_z$ 105

Persistent photoconductivity 269
–in YBaCuO thin films 269
Phase diagram
–of $Nd_{1.5-x}Ba_{1.5+x-y}M_yCu_3O_z$ 105
Phonon spectrum 137
–of $HgBa_2CuO_4$ 259
Pinning energies
–in BSCCO 173
Planar junction
–on $Bi_2Sr_2CaCu_2O_{8+x}$ crystal surface 302
Powder neutron diffraction
–of $NdBa_{1.5}Sr_{0.5}Cu_3O_{7-\delta}$ 97
Pressure dependence of T_c
–in $GdBa_{1.5}Sr_{0.5}Cu_3O_x$ 125
Pulsed-laser deposition
–of $YBa_2Cu_3O_{7-\delta}$ 1

Quasiparticle band 237

Raman scattering
–in $HgBa_2CuO_4$ 259

STM
–of $YBa_2Cu_3O_{7-\delta}$ 1

Scanning electron microscopy
–of BSCCO/Ag tapes 131
Self-field measurements 12
Structural phase transition
–in $NdBa_{1.5}Sr_{0.5}Cu_3O_{7-\delta}$ 97
Structure
–of $(Er_{1-x-y}Ca_yHf_x)Ba_2Cu_3O_z$ 90
–of $(Hg_{0.7}Bi_{0.3})Sr_2(Ca_{1-x}Pr_x)Cu_2O_{6+\delta}$ 201
–of $Ba_2M_xCu_{2-x-y}(CO_3)_yO_{2+\delta}$ 38
–of $Ba_{3-x}Nd_xCu_3O_y$ thin films 295
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ 189
–of $Ln_2Ba_2Cu_2Ti_2O_{11}$ 71
–of $Nd_{1.5-x}Ba_{1.5+x-y}M_yCu_3O_z$ 105
–of $NdBa_{1.5}Sr_{0.5}Cu_3O_{7-\delta}$ 97
Substitution effects
–in $(Er_{1-x-y}Ca_yHf_x)Ba_2Cu_3O_z$ 90
–in $Ln_2Ba_2Cu_2Ti_2O_{11}$ 71
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ 189
Surface superconductivity 167
Synchroton-radiation
–of $YBa_2Cu_3O_{6+x}$ 315
Synthesis
–of $(Ca_xLa_{1-x})(Ba_{1.75-x}La_{0.25+x})Cu_3O_y$ films 33
–of $Ba_2M_xCu_{2-x-y}(CO_3)_yO_{2+\delta}$ 38
–of $Ba_{3-x}Nd_xCu_3O_y$ thin films 295
–of $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_y$ 157
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ 189
–of $SrCuO_2$ single crystals 309

Thomas–Fermi approximation 167
Trapped magnetic flux
–in YBCO 181
Tunneling spectrum 302

Weak coupling 245

XPS
–of $(Pb_{0.5}Cd_{0.5})(Sr_{2-x}Ba_x)(Ca_{0.5}Y_{0.5})Cu_2O_7$ 27
XRD
–of $Ba_{3-x}Nd_xCu_3O_y$ thin films 295
–of $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_y$ 157
–of $La_{3-x}Ca_{2x}Ba_{3-x}Cu_6O_y$ 284
–of $YBa_2Cu_3O_{7-y}$ films 263

ELSEVIER

Physica C 261 (1996) 328

PHYSICA C

Materials Index to Volume 261

BSCCO/Ag tapes
–critical current density 131
–grain alignment (texturing) 131
–scanning electron microscopy 131
BSCCO
–critical current density 173
–i-V characteristics 173
–pinning energies 173
$Ba_{1-x}K_xBiO_3$
–dissipation 147
–electrical resistivity 147
$Ba_2M_xCu_{2-x-y}(CO_3)_yO_{2+\delta}$
–hREM 38
–structure 38
–synthesis 38
$Ba_{3-x}Nd_xCu_3O_y$ thin films
–structure 295
–synthesis 295
–xRD 295
Bi-2223/Ag tapes
–anisotropy 196
–critical current density 196
–irreversibility field 196
$Bi_2(Ca,Gd,Bi)_3Cu_2O_z$
–antiferromagnetic order 65
–diamagnetic susceptibility 65
–lower critical field 65
–microwave magnetoabsorption 65
$Bi_2Sr_2Ca_{n-1}Cu_nO_x$
–critical current density 56
–grain boundary structure 56
$Bi_2Sr_2CaCu_2O_{8+\delta}$ thin film
–angle-resolved photoemission 153
–fermi surface 153
$Bi_2Sr_2CaCu_2O_{8+x}$ crystal surface
–ion-beam irradiation 302
–planar junction 302
$Bi_2Sr_2CaCu_2O_{8-\delta}$
–i-V characteristics 21
–interlayer resistivity 21
$Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_y$
–critical current density 157
–synthesis 157
–xRD 157

$(Ca_xLa_{1-x})(Ba_{1.75-x}La_{0.25+x})Cu_3O_y$ films
–critical current density 33
–electrical resistivity 33
–synthesis 33

$(Er_{1-x-y}Ca_yHf_x)Ba_2Cu_3O_z$
–structure 90
–substitution effects 90

$GdBa_{1.5}Sr_{0.5}Cu_3O_x$
–magnetic susceptibility 125
–pressure dependence of T_c 125

$HgBa_2Ca_2Cu_3O_y$
–flux creep 213
–flux pinning 213
–magnetization 213
$HgBa_2Ca_2Cu_3O_{8+\delta}$
–neutron powder diffraction 189
–structure 189
–substitution effects 189
–synthesis 189
$HgBa_2CuO_4$
–phonon spectrum 259
–raman scattering 259
$(Hg_{0.7}Bi_{0.3})Sr_2(Ca_{1-x}Pr_x)Cu_2O_{6+\delta}$
–magnetic susceptibility 201
–magnetization 201
–structure 201

$La_{2-x}Sr_xCuO_4$
–eSR 207
–mössbauer spectroscopy 207
–magnetic order 207
$La_{2-xSr}x_{CuO}4$
–kohn anomaly 137
$La_{3-x}Ca_{2x}Ba_{3-x}Cu_6O_y$
–hole concentration 284
–oxygen stoichiometry 284
–xRD 284
$Ln_2Ba_2Cu_2Ti_2O_{11}$
–oxygen stoichiometry 71
–structure 71
–substitution effects 71

$Nd_{1.5-x}Ba_{1.5+x-y}M_yCu_3O_z$
–oxygen stoichiometry 105
–phase diagram 105
–structure 105

$Nd_{2-x}Ce_xCuO4-y$ thin films
–critical current density 229
–irradiation effect 229
$NdBa_{1.5}Sr_{0.5}Cu_3O_{7-\delta}$
–powder neutron diffraction 97
–structural phase transition 97
–structure 97

$(Pb_{0.5}Cd_{0.5})(Sr_{2-x}Ba_x)(Ca_{0.5}Y_{0.5})Cu_2O_7$
–electrical resistivity 27
–electronic structure 27
–xPS 27

$SrCuO_2$ single crystals
–electrical resistivity 309
–magnetic susceptibility 309
–synthesis 309

$Tl_2Ba_2CuO_{6+\delta}$ single crystals
–dimensional crossover 289
–fishtail effect 289
–flux pinning 289

YBCO
–melt texturing 181
–trapped magnetic flux 181
$YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$
–anisotropy 117
–magnetoresistance 117
$YBa_2Cu_{3O}7-\delta$
–critical current density 220
–microwave irradiation 220
–microwave surface resistance 220
$YBa_2Cu_3O_{6+x}$
–herringbone phase 315
–oxygen ordering 315
–synchroton-radiation 315
$YBa_2Cu_3O_{7-\delta}$
–aFM 1
–grain boundaries 273
–hREM 273
–pulsed-laser deposition 1
–sTM 1
$YBa_2Cu_3O_{7-y}$ films
–oxygen stoichiometry 263
–xRD 263
YBaCuO thin films
–annealing effects 269
–persistent photoconductivity 269